Hranipex

Hidden treasures month with RIEX!

Week 1: RiexTrack Drawer Slides



SELECTED PRODUCTS

RIEX

from £12.99

Thin double metal wall slide assembly (13 mm). Equipped with a Soft Close shock absorber for gentle closing. A synchronization mechanism for movement without noise, resistance and lateral stability.

Drawer easy and quick to assemble thanks to the fixings integrated into the side walls for the front side supports. Only requires manufacturing the bottom, front and back.

Robust and stable slide with a total load capacity of 40 kg. This set has a proven durability of 100,000 cycles and is certified according to standard EN15338 + A1:2010.

The adjustments positioned in the side walls allow the following drawer adjustments: vertically (up/down) and horizontally (left/right). On this model, a screw at the rear of the wall allows adjustment of the tilt of the drawer.





40 kg load capacity



Durability: 100,000 cycles Certificate: EN15338+A1:2010



Many sizes and accessories



Height 89 mm Height 121 mm



Height 185 mm



Height 249 mm







RiexTrack Double wall slide 89/450 mm

•	F000251	black	Ä
•	F000183	dark grey	Ä
\bigcirc	F000217	white	À



RiexTrack Double wall slide 89/500 mm

•	F000252	black	#
	F000184	dark grey	
\bigcirc	F000218	white	#



RiexTrack Double wall slide 121/450 mm

•	F000260	black	Ä
	F000192	dark grey	
\bigcirc	F000226	white	#



RiexTrack Double wall slide 121/500 mm

•	F000261	black	, in the second
	F000193	dark grey	Ē
	F000227	white	Ē



RiexTrack Double wall slide 185/450 mm

•	F000268	black	Ä
	F000200	dark grey	Ē
\bigcirc	F000234	white)



RiexTrack Double wall slide 185/500 mm

•	F000269	black	#
	F000201	dark grey	
\bigcirc	F000235	white	#



RiexTrack Double wall slide 249/450 mm

•	F000208	dark grey	Å
	F000242	white	Å



RiexTrack Double wall slide 249/500 mm

•	F000209	dark grey	
	F000243	white	#

HRANIPEX LIMITED

Unit 2 Radial Way Birmingham Business Park, Solihull Parkway Birmingham B37 7WN United Kingdom



www.hranipex.co.uk uk-hranipex@hranipex.com +44 (0) 0121 767 9180

