



Riex

Drawer Slides

Riex - a brand of Hranipex

Upgrade your furniture

Are you looking for a way to make lives easy for you and your customers? Our drawer slides are designed to do just that, providing durability while also being easy to install. With a combination of design and high performance, our slides will stand the test of time. You can rest easy knowing that you are providing your customers with a comfortable and built-to-last solution.





Slide into comfort zone

As a furniture maker, you require versatile and high-quality drawer slides for a variety of furniture. Our product range of drawer slides are easy to install, versatile in their application within furniture interiors, and ergonomically designed for user comfort.

Among our top choices is the RiexTrack slides, known for their sleek and narrow side design, high durability and quality, with wide range of dimensions, colours, and accessories. These slides are not just limited to kitchen furniture and can be used in a variety of other furniture pieces.

Specs that will make your head spin

Slim Double Wall Drawers

- Loading capacity 40 kg
- Durability 60 000 cycles
- Available in 4 sidewalls heights
- Smooth&silent soft-close, synchro
- Front panel and tilt adjustment



Standard Double Wall Drawers

- Loading capacity 35 kg
- Durability 60 000 cycles
- Available in 3 heights
- Smooth&silent soft-close, synchro
- Front panel adjustment



Concealed Slides

- Loading capacity 25 - 40 kg
- Durability up to 60 000 cycles
- Smooth&silent soft-close or push for open
- Front panel adjustment



Ball Bearing Slides

- Loading capacity 10 - 120 kg
- Durability up to 50 000 cycles
- Height 17-58 mm
- Variants with or without Soft-Close and Push for Open



Roller Slides with Sidewalls

- Loading capacity 25 kg
- Available in 4 sidewalls heights
- Optional soft-close
- Front panel adjustment



Roller Slides

- Loading capacity 20 kg
- Length 250 - 600 mm
- Available in 3 colours
- Optional soft-close



Get a grip on installation

The easy installation process ensures that you won't have to worry about any time-consuming installation and adjusting, allowing you to focus on what you do best, creating beautiful, high-quality furniture.

Step 1

Design your furniture. Prepare CAD or 3D model with files from our site if you need.

Step 2

Choose and order slides from our website or sales manager, and wait for your speedy delivery. Meanwhile, build rest of the drawer, or relax.

Step 3

Assemble with help from our detailed guide. Let your customers enjoy it for a lifetime.



Don't just take our word for it

At our Hranipex, we understand the importance of trust and credibility, especially when it comes to our products and services.

We recognize that potential customers may be hesitant to take our word for it, which is why we're happy to let our references speak for themselves. We're committed to maintaining the high standards that have earned us these positive references and look forward to continuing to earn the trust and satisfaction of our customers.



Distribution Partners

We are helping 231 distribution partners in 60 countries provide high Quality furniture fittings to a wide range of customers.



Furniture makers

We serve 35 012 furniture makers directly through our sales managers and e-shop.

Lets get technical

Slim Double Wall Drawers

RiexTrack Drawers

Standard Double Wall Drawers

Riex NX40 Drawers

Concealed Slides

Concealed Slides – Full Extension

Concealed Slides – Single Extension

Ball Bearing Slides

Ball Bearing Slides – Soft-Close

Ball Bearing Slides – Push for Open

Ball Bearing Slides – Without Soft-Close

Roller Slides with Sidewalls

Roller Slides



RiexTrack

- Double wall drawers
- Load capacity 40 kg
- Durability 60 000 cycles
- Available in 4 sidewall heights and lengths from 270 to 650 mm
- Smooth and silent operation with soft-close thanks to synchronization
- Attractive colours
- Wide range of accessories
- Bottom panel thickness 16 mm
- Brackets integrated in sidewalls
- Front panel adjustment in horizontal and vertical direction plus drawer tilt:
 - Up / Down adjustment: ± 2 mm
 - Left / Right adjustment: ± 1 mm
 - Tilt adjustment: ± 2 mm



RiexTrack Drawers

⦿ RiexTrack Height 89 mm

Length NL [mm]	White	Dark grey	Black
270	F000213	F000179	×
300	F000214	F000180	×
350	F000215	F000181	×
400	F000216	F000182	F000250
450	F000217	F000183	F000251
500	F000218	F000184	F000252
550	F000219	F000185	×
600	F000220	F000186	×
650	F000221	F000187	×

Package content:

- Pair of side walls
- Pair of slides
- Pair of front brackets
- Pair of cover caps
- Screws for front brackets



○ White





● Dark grey



● Black

⦿ Bottom and back panel dimensions



⦿ Legend

H = 89

NL – nominal length of slides

NL+5 – internal cabinet depth


NL-20 – depth of bottom panel

LW – internal cabinet width

LW-21 – width of bottom panel

LW-29 – width of front panel holders

LW-42 – width of back panel



RiexTrack Height 121 mm

Length NL [mm]	White	Dark grey	Black
270	F000222	F000188	×
300	F000223	F000189	×
350	F000224	F000190	×
400	F000225	F000191	F000259
450	F000226	F000192	F000260
500	F000227	F000193	F000261
550	F000228	F000194	×
600	F000229	F000195	×
650	F000230	F000196	×

Package content:

- Pair of side walls
- Pair of slides
- Pair of front brackets
- Pair of cover caps
- Screws for front brackets



○ White





● Dark grey



● Black


Bottom and back panel dimensions



Legend

H = 121

- NL – nominal length of slides
- NL+5 – internal cabinet depth
- NL-20 – depth of bottom panel
- LW – internal cabinet width
- LW-21 – width of bottom panel
- LW-29 – width of front panel holders
- LW-42 – width of back panel



⊕ RiexTrack Height 185 mm

Length NL [mm]	White	Dark grey	Black
300	F000231	F000197	×
350	F000232	F000198	×
400	F000233	F000199	F000267
450	F000234	F000200	F000268
500	F000235	F000201	F000269
550	F000236	F000202	×
600	F000237	F000203	×
650	F000238	F000204	×

Package content:

- Pair of side walls
- Pair of slides
- Pair of front brackets
- Pair of cover caps
- Screws for front brackets



○ White





● Dark grey




● Black

① Bottom and back panel dimensions



① Legend

- H = 185
- NL – nominal length of slides
- NL+5 – internal cabinet depth
- NL-20 – depth of bottom panel
- LW – internal cabinet width
- LW-21 – width of bottom panel
- LW-29 – width of front panel holders
- LW-42 – width of back panel



RiexTrack Height 249 mm

Length NL [mm]	White	Dark grey	Black
450	F000242	F000208	F000276
500	F000243	F000209	F000277
550	F000244	F000210	×
600	F000245	F000211	×

Package content:

- Pair of side walls
- Pair of slides
- Pair of front brackets
- Pair of cover caps
- Screws for front brackets



○ White





● Dark grey



● Black


① Bottom and back panel dimensions



① Legend

H = 249

- NL – nominal length of slides
- NL+5 – internal cabinet depth
- NL–20 – depth of bottom panel
- LW – internal cabinet width
- LW–21 – width of bottom panel
- LW–29 – width of front panel holders
- LW–42 – width of back panel





Riex NX40

- Double wall drawers
- Load capacity 35 kg
- Durability 60 000 cycles
- Available in 3 heights [raised by railings]
- Lengths from 300 mm to 550 mm
- Smooth and silent operation with soft-close
- Wide range of accessories
- Bottom panel thickness 16 mm
- Front panel adjustment in horizontal and vertical direction:
 - Up / Down adjustment: ± 2 mm
 - Left / Right adjustment: ± 1 mm




Riex NX40 Drawers

⊕ Riex NX40 Height 86 mm


Length NL [mm]	White	Grey
300	F000437	F000443
350	F000438	F000444
400	F000439	F000445
450	F000440	F000446
500	F000441	F000447
550	F000442	F000448

Package content:

- Pair of side walls
- Pair of slides
- Pair of front brackets
- Pair of front brackets
- Pair of cover caps
- Screws for front brackets





○ White




● Grey

⊕ Bottom and back panel dimensions



⊕ Legend


- H = 86
- NL – nominal length of slides
- NL+10 – internal cabinet depth
- NL-7 – depth of bottom panel
- LW – internal cabinet width
- LW-40 – width of front panel holders
- LW-75 – width of bottom panel
- LW-89 – width of back panel



● Riex NX40 Height 140 mm, 2 Round Railings


- Necessary to order basic drawer and set of railings separately

White			
Length NL [mm]	Basic drawer 86 mm		Set of railings
300	F000437	+	F000449
350	F000438	+	F000450
400	F000439	+	F000451
450	F000440	+	F000452
500	F000441	+	F000453
550	F000442	+	F000454



○ White



Grey			
Length NL [mm]	Basic drawer 86 mm		Set of railings
300	F000443	+	F000455
350	F000444	+	F000456
400	F000445	+	F000457
450	F000446	+	F000458
500	F000447	+	F000459
550	F000448	+	F000460



● Grey


The set of railings contains 2 round railings and back brackets.

① Bottom and back panel dimensions



① Legend

- H = 140
- NL – nominal length of slides
- NL+10 – internal cabinet depth
- NL-7 – depth of bottom panel
- LW – internal cabinet width
- LW-40 – width of front panel holders and railings holder
- LW-75 – width of bottom panel
- LW-89 – width of back panel




● Riex NX40 Height 140 mm, 2 Square Railings

- Necessary to order basic drawer and set of railings separately


White			
Length NL [mm]	Basic drawer 86 mm		Set of railings
300	F000437	+	F000461
350	F000438	+	F000462
400	F000439	+	F000463
450	F000440	+	F000464
500	F000441	+	F000465
550	F000442	+	F000466

Grey			
Length NL [mm]	Basic drawer 86 mm		Set of railings
300	F000443	+	F000467
350	F000444	+	F000468
400	F000445	+	F000469
450	F000446	+	F000470
500	F000447	+	F000471
550	F000448	+	F000472

The set of railings contains 2 square railings and back brackets.





○ White



● Grey

① Bottom and back panel dimensions



① Legend

H = 140

NL – nominal length of slides

NL+10 – internal cabinet depth


NL-7 – depth of bottom panel

LW – internal cabinet width

LW-40 – width of front panel holders
and railings holder

LW-75 – width of bottom panel

LW-89 – width of back panel




**⊕ Riex NX40 Height 204 mm,
2 Round Railings**

- Necessary to order basic drawer and set of railings separately

White			
Length NL [mm]	Basic drawer 86 mm		Set of railings
300	F000437	+	F000473
350	F000438	+	F000474
400	F000439	+	F000475
450	F000440	+	F000476
500	F000441	+	F000477
550	F000442	+	F000478

Grey			
Length NL [mm]	Basic drawer 86 mm		Set of railings
300	F000443	+	F000479
350	F000444	+	F000480
400	F000445	+	F000481
450	F000446	+	F000482
500	F000447	+	F000483
550	F000448	+	F000484

The set of railings contains 2 round railings and back brackets. The raised sidewalls panels on p. 1.29 can be used for this set.





☐ White



- Grey

① **Bottom and back panel dimensions**



Legend

 $H = 204$

NL – nominal length of slides

NL+10 – internal cabinet depth


NL-7 – depth of bottom panel

LW – internal cabinet width

LW-40 – width of front panel holders
and railings holder

LW-75 – width of bottom panel


LW-89 – width of back panel



Riex NX40 Height 204 mm, 2 Square Railings


- Necessary to order basic drawer and set of railings separately

White			
Length NL [mm]	Basic drawer 86 mm		Set of railings
300	F000437	+	F000485
350	F000438	+	F000486
400	F000439	+	F000487
450	F000440	+	F000488
500	F000441	+	F000489
550	F000442	+	F000490



○ White



Grey			
Length NL [mm]	Basic drawer 86 mm		Set of railings
300	F000443	+	F000491
350	F000444	+	F000492
400	F000445	+	F000493
450	F000446	+	F000494
500	F000447	+	F000495
550	F000448	+	F000496



● Grey

The set of railings contains 2 square railings and back brackets.

Bottom and back panel dimensions



Legend

H = 204

NL – nominal length of slides

NL+10 – internal cabinet depth


NL-7 – depth of bottom panel

LW – internal cabinet width

LW-40 – width of front panel holders
and railings holder

LW-75 – width of bottom panel

LW-89 – width of back panel




Riex NX40 Height 204 mm, 4 Round Railings

- Necessary to order basic drawer and set of railings separately


White			
Length NL [mm]	Basic drawer 86 mm		Set of railings
300	F000437	+	F000497
350	F000438	+	F000498
400	F000439	+	F000499
450	F000440	+	F000500
500	F000441	+	F000501
550	F000442	+	F000502

Grey			
Length NL [mm]	Basic drawer 86 mm		Set of railings
300	F000443	+	F000503
350	F000444	+	F000504
400	F000445	+	F000505
450	F000446	+	F000506
500	F000447	+	F000507
550	F000448	+	F000508

The set of railings contains 4 round railings and back brackets.





○ White




● Grey

Bottom and back panel dimensions



Legend

- H = 204
- NL – nominal length of slides
- NL+10 – internal cabinet depth
- NL-7 – depth of bottom panel
- LW – internal cabinet width
- LW-40 – width of front panel holders and railings holder
- LW-75 – width of bottom panel
- LW-89 – width of back panel




⦿ Riex NX40 Height 204 mm, 4 Square Railings

- Necessary to order basic drawer and set of railings separately


White			
Length NL [mm]	Basic drawer 86 mm		Set of railings
300	F000437	+	F000509
350	F000438	+	F000510
400	F000439	+	F000511
450	F000440	+	F000512
500	F000441	+	F000513
550	F000442	+	F000514

Grey			
Length NL [mm]	Basic drawer 86 mm		Set of railings
300	F000443	+	F000515
350	F000444	+	F000516
400	F000445	+	F000517
450	F000446	+	F000518
500	F000447	+	F000519
550	F000448	+	F000520

The set of railings contains 4 square railings and back brackets.





○ White



● Grey

① Bottom and back panel dimensions



① Legend

H = 204

NL – nominal length of slides

NL+10 – internal cabinet depth


NL-7 – depth of bottom panel

LW – internal cabinet width

LW-40 – width of front panel holders
and railings holder

LW-75 – width of bottom panel

LW-89 – width of back panel



Concealed Slides







Full Extension

● Riex NU80 Concealed Slide, Full Extension, Soft-Close

- Load capacity 40 kg
- Durability 60 000 cycles
- Soft-close mechanism
- Smooth and silent operation with soft closing thanks to synchronization
- 3D brackets:
 - Up / Down adjustment: 0 mm – 3 mm
 - Left / Right adjustment: ± 2 mm
 - Adjustment in depth: 0 mm – 3 mm
- Sidewall material thickness up to 19 mm

Length NL [mm]	Code
300	F000162
350	F000163
400	F000164
450	F000165
500	F000166
550	F000167
600	F000168
650	F000169






● Legend

- NL – nominal length of slides
- NL+8 – internal cabinet depth
- NL-10 – depth of drawer
- LW – internal cabinet width
- LW-49 – width of bottom panel

● Riex NU70 Concealed Slide, Full Extension, Push for Open

- Load capacity 35 kg
- Durability 60 000 cycles
- Push for open mechanism
- Opening force adjustment
- Smooth and silent operation thanks to synchronization
- 2D brackets:
 - Up / Down adjustment: 0 mm – 3 mm
 - Left / Right adjustment: ± 2 mm
- Sidewall material thickness up to 19 mm

Length NL [mm]	Code
300	F000171
350	F000172
400	F000173
450	F000174
500	F000175
550	F000176
600	F000177
650	F000178







① Legend

- NL – nominal length of slides
- NL+8 – internal cabinet depth
- NL-10 – depth of drawer
- LW – internal cabinet width
- LW-49 – width of bottom panel

● Riex NU69 Concealed Slide, Full Extension, Soft-Close

- Load capacity 25 kg
- Durability 50 000 cycles
- Soft-close mechanism
- Without synchronization
- 2D brackets:
 - Up / Down adjustment: 0 mm – 4 mm
 - Left / Right adjustment: ± 2 mm
- Sidewall material thickness up to 18 mm

Length NL [mm]	Code
250	F000295
300	F000296
350	F000297
400	F000298
450	F000299
500	F000300
550	F000301



● Legend




- NL – nominal length of slides
- NL+5 – internal cabinet depth
- NL-10 – depth of drawer
- LW – internal cabinet width
- LW-48 – width of bottom panel

Single Extension

➤ Riex NU30 Concealed Slide, Single Extension, Soft-Close

- Load capacity 25 kg
- Durability 50 000 cycles
- Soft-close mechanism
- 2D brackets:
 - Up / Down adjustment: 0 mm – 3 mm
 - Left / Right adjustment: ± 2 mm
- Sidewall material thickness up to 19 mm

Length NL [mm]	Code
300	F000150
350	F000151
400	F000152
450	F000153
500	F000154
550	F000155







① Legend

- NL – nominal length of slides / depth of drawer
- NL+18 – internal cabinet depth
- LW – internal cabinet width
- LW-47 – width of bottom panel

● Riex NU31 Concealed Slide, Single Extension, Soft-Close

- Load capacity 25 kg
- Durability 50 000 cycles
- Soft-close mechanism
- 1D brackets:
 - Up / Down adjustment: 0 mm – 4 mm
- Sidewall material thickness up to 18 mm

Length NL [mm]	Code
300	F000282
350	F000283
400	F000284
450	F000285
500	F000286
550	F000287






● Legend

- NL – nominal length of slides / depth of drawer
- NL+10 – internal cabinet depth
- LW – internal cabinet width
- LW-48 – width of bottom panel

● Riex NU04 Concealed Slide, Single Extension, Soft-Close

- Load capacity 25 kg
- Durability 60 000 cycles
- Soft-close mechanism
- 1D brackets:
 - Up / Down adjustment: 0 mm – 2 mm
- Sidewall material thickness up to 16 mm

Length NL [mm]	Code
250	F000161
300	F000156
350	F000157
400	F000158
450	F000159
500	F000160



Legend

- NL – nominal length of slides / depth of drawer
- NL+18 – internal cabinet depth
- LW – internal cabinet width
- LW-39 – width of bottom panel



Ball Bearing Slides



Soft-Close



● Riex NB58 Ball Bearing Slide, 35 kg, Soft-Close

- Full extension
- Load capacity 35 kg
- Height 45.7 mm
- Material thickness 1.2 × 1.2 × 1.5 mm
- Durability 50 000 cycles




Length NL [mm]	Code
300	F000808
350	F000809
400	F000810
450	F000811
500	F000812
550	F000813
600	F000814

Code	NL [mm]	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	G [mm]	H [mm]	I [mm]	J [mm]	K [mm]	L [mm]	M [mm]	Loading capacity [kg]
F000808	300	×	×	×	×	×	×	×	×	38	32	64	64	64	20
F000809	350	×	×	×	28	96	96	96	×	×	×	×	×	×	25
F000810	400	96	×	×	28	96	96	96	×	×	×	×	×	×	30
F000811	450	96	87	×	28	96	96	112	80	×	×	×	×	×	35
F000812	500	96	96	×	28	96	96	192	×	×	×	×	×	×	35
F000813	550	96	128	×	28	96	96	192	96	×	×	×	×	×	30
F000814	600	96	128	64	28	96	96	192	96	×	×	×	×	×	25



● Legend

NL – nominal length of slides
 NL+4 – internal cabinet depth
 LW – internal cabinet width
 LW-25.4 – width of drawer





● Riex NB48 Ball Bearing Slide, 30 kg, Soft-Close

- Full extension
- Load capacity 30 kg
- Height 45 mm
- Material thickness 1.0 × 1.0 × 1.2 mm
- Durability 50 000 cycles




Length NL [mm]	Code
300	F002913
350	F002914
400	F002915
450	F002916
500	F002917
550	F002918

Code	NL [mm]	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	Loading capacity [kg]
F002913	300	64	×	×	64	128	16
F002914	350	96	×	×	96	128	22
F002915	400	128	×	×	128	160	26
F002916	450	128	×	×	160	160	30
F002917	500	128	64	×	160	192	30
F002918	550	128	64	96	192	224	28



Legend

NL – nominal length of slides
 NL+4 – internal cabinet depth
 LW – internal cabinet width
 LW-25.4 – width of drawer



Push for Open



● Riex NB51 Ball Bearing Slide, 35 kg, Push for Open

- Full extension
- Load capacity 35 kg
- Height 44.9 mm
- Material thickness 1.0 × 1.0 × 1.2 mm
- Durability 50 000 cycles




Length NL [mm]	Code
300	F000815
350	F000816
400	F000817
450	F000818
500	F000819
550	F000820
600	F000821

Code	NL [mm]	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	Loading capacity [kg]
F000815	300	96	×	×	64	160	19
F000816	350	64	64	×	96	128	26
F000817	400	64	128	×	128	192	30
F000818	450	64	160	×	160	160	35
F000819	500	64	192	×	192	192	35
F000820	550	64	160	160	224	192	33
F000821	600	64	160	192	224	256	33



● Legend

NL – nominal length of slides
 NL+4 – internal cabinet depth
 LW – internal cabinet width
 LW-25.4 – width of drawer



Without Soft-Close



⊗ Riex NB55 Ball Bearing Slide, 45 kg

- Full extension
- Load capacity 45 kg
- Height 45.7 mm
- Material thickness 1.2 × 1.2 × 1.5 mm
- Durability 50 000 cycles

Length NL [mm]	Code
250	F000798
300	F000799
350	F000800
400	F000801
450	F000802
500	F000803
550	F000804
600	F000805
650	F000806
700	F000807




Code	NL [mm]	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	G [mm]	H [mm]	Loading capacity [kg]
F000798	250	×	×	×	96	×	×	×	×	23
F000799	300	96	×	×	128	×	×	×	×	24
F000800	350	96	×	×	160	×	×	×	×	33
F000801	400	96	96	×	96	128	×	×	×	38
F000802	450	96	128	×	96	128	72	×	×	45
F000803	500	96	128	64	96	128	96	×	×	45
F000804	550	96	128	96	96	192	64	44	×	42
F000805	600	96	128	128	96	192	96	62	×	42
F000806	650	96	128	192	96	192	160	48	×	41
F000807	700	96	128	192	96	192	160	×	98	41



⊙ Legend

NL – nominal length of slides
 NL+4 – internal cabinet depth
 LW – internal cabinet width
 LW-25.4 – width of drawer





● Riex NB45 Ball Bearing Slide, 30 kg

- Full extension
- Load capacity 30 kg
- Height 44.6 mm
- Material thickness 1.0 × 1.0 × 1.2 mm
- Durability 50 000 cycles

Length NL [mm]	Code
300	F002906
350	F002907
400	F002908
450	F002909
500	F002910
550	F002911




Code	NL [mm]	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	G [mm]	Loading capacity [kg]
F002906	300	64	128	169	×	×	96	128	16
F002907	350	96	160	219	×	×	96	160	22
F002908	400	96	160	269	×	×	128	192	26
F002909	450	96	160	224	288	×	160	192	30
F002910	500	96	160	224	288	×	192	224	30
F002911	550	96	160	224	288	384	192	256	28



● Legend

NL – nominal length of slides
 NL+4 – internal cabinet depth
 LW – internal cabinet width
 LW-25.4 – width of drawer





● Riex NB35 Ball Bearing Slide, 25 kg

- Full extension
- Load capacity 25 kg
- Height 35 mm
- Material thickness 0.8 × 0.8 × 0.8 mm
- Durability 30 000 cycles




Length NL [mm]	Code
250	F002920
300	F002921
350	F002922
400	F002923
450	F002924
500	F002925

Code	NL [mm]	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	Loading capacity [kg]
F002920	250	96	×	×	160	-	13
F002921	300	128	×	×	96	128	13
F002922	350	160	×	×	96	160	18
F002923	400	160	64	×	128	192	21
F002924	450	160	128	×	128	224	25
F002925	500	160	128	64	128	288	25



① Legend

NL – nominal length of slides
 NL+4 – internal cabinet depth
 LW – internal cabinet width
 LW-25.4 – width of drawer





● Riex NB17 Ball Bearing Slide, 10 kg

- Single extension
- Load capacity 10 kg
- Height 16.8 mm
- Material thickness 1.0 × 1.0 mm
- Durability 10 000 cycles
- Slides for mounting in a milled slots




Length NL [mm]	Code
246	F000367
278	F000368
310	F000369
342	F000370

Code	NL [mm]	NL1 [mm]	Loading capacity [kg]
F000367	246	156	10
F000368	278	203	10
F000369	310	212	10
F000370	342	245	10



● Legend

NL – nominal length of slides
 NL+5 – internal cabinet depth
 LW – internal cabinet width
 LW-19.2 – width of drawer
 NL1 – length of protrusion





Riex NB75 Ball Bearing Slide, Heavy Duty, 120 kg

- Full extension
- Load capacity 120 kg
- Height 58 mm
- Material thickness 2.0 × 2.0 × 2.2 mm
- Durability 30 000 cycles




Length NL [mm]	Code
800	F005162
900	F005163
1000	F005164
1200	F005165

Code	NL [mm]	A [mm]	B [mm]	C [mm]	D [mm]	E [mm]	F [mm]	G [mm]	Loading capacity [kg]
F005162	800	128	192	160	128	224	256	192	120
F005163	900	128	256	160	160	224	288	256	110
F005164	1000	160	288	160	192	256	320	288	100
F005165	1200	160	288	256	256	256	352	384	90



Legend

NL – nominal length of slides
NL+7 – internal cabinet depth
LW – internal cabinet width
LW-38 – width of drawer





Roller Slides with Sidewalls



● Riex NP11 Metal Box Drawer, Height 54 mm

- Load capacity 25 kg
- Bottom and back panel brackets are integrated on the sidewalls
- Optional external soft-close system on p. 1.60
- Front panel adjustment in vertical direction:
 - Up / Down adjustment: ± 2 mm





○ White




● Grey

Length NL [mm]	White	Grey
450	F003016	F003018
500	F003017	F003019



● Legend

NL – nominal length of slides
 NL+5 – internal cabinet depth
 LW – internal cabinet width
 LW-31 – width of bottom panel /
 width of back panel



Riex NP11 Metal Box Drawer, Height 86 mm

- Load capacity 25 kg
- Bottom and back panel brackets are integrated on the sidewalls
- Optional external soft-close system on p. 1.60
- Front panel adjustment in vertical direction:
 - Up / Down adjustment: ± 2 mm





○ White




● Grey

Length NL [mm]	White	Grey
270	F000746	F000766
300	F000747	F000767
350	F000748	F000768
400	F000749	F000769
450	F000750	F000770
500	F000751	F000771
550	F000752	F000772



Legend

NL – nominal length of slides
 NL+5 – internal cabinet depth
 LW – internal cabinet width
 LW-31 – width of bottom panel / width of back panel



Riex NP11 Metal Box Drawer, Height 118 mm

- Load capacity 25 kg
- Bottom and back panel brackets are integrated on the sidewalls
- Optional external soft-close system on p. 1.60
- Front panel adjustment in vertical direction:
 - Up / Down adjustment: ± 2 mm





○ White




● Grey

Length NL [mm]	White	Grey
350	F000754	F000774
400	F000755	F000775
450	F000756	F000776
500	F000757	F000777



Legend

NL – nominal length of slides
 NL+5 – internal cabinet depth
 LW – internal cabinet width
 LW-31 – width of bottom panel / width of back panel



Riex NP11 Metal Box Drawer, Height 150 mm

- Load capacity 25 kg
- Bottom and back panel brackets are integrated on the sidewalls
- Optional external soft-close system on p. 1.60
- Front panel adjustment in vertical direction:
 - Up / Down adjustment: ± 2 mm





○ White




● Grey

Length NL [mm]	White	Grey
270	F000759	F000779
300	F000760	F000780
350	F000761	F000781
400	F000762	F000782
450	F000763	F000783
500	F000764	F000784
550	F000765	F000785




Legend

NL – nominal length of slides
 NL+5 – internal cabinet depth
 LW – internal cabinet width
 LW-31 – width of bottom panel / width of back panel



Riex NP11 Metal Box, Railings




○ White



● Grey

Length [mm]	White	Grey
300	F000786	F000792
350	F000787	F000793
400	F000788	F000794
450	F000789	F000795
500	F000790	F000796
550	F000791	F000797



Legend

LW – internal cabinet width

LW-31 – width of bottom panel /
width of back panel


Contains a pair of round railings and back brackets.

Riex NP11 Metal Box, External Damper

- Set of left and right damper and mounting template



Type	Code
For metal box	F005167



Roller Slides



● Riex NR09 Roller Slide

- Load capacity 20 kg

Length NL [mm]	White	Brown	Black
250	F000545	F000553	F000561
300	F000546	F000554	F000562
350	F000547	F000555	F000563
400	F000548	F000556	F000564
450	F000549	F000557	F000565
500	F000550	F000558	F000566
550	F000551	×	×
600	F000552	×	×





○ White



● Brown




● Black



Legend

NL – nominal length of slides
 NL+5 – internal cabinet depth
 LW – internal cabinet width
 LW-25 – width of drawer



Riex NR09 Roller Slide, External Damper

- Set of left and right damper and mounting template



Type	Code
For roller slide	F005166



Are you ready to upgrade your furniture game?

Thank you for taking the time to learn more about our drawer slides. We understand that making a decision about which product to use can be difficult, so if you have any questions or concerns, please don't hesitate to reach out. Our team is always happy to answer any questions you may have and provide additional information to help you make an informed decision.

We look forward to helping you improve the functionality and durability of your furniture.

Sincerely,
Hranipex team


Unlock your creativity

with our range of furniture-making supplies



Furniture fittings

- Drawer Slides
- Hinges & Push for Open Mechanisms
- Opening Mechanisms
- Handles, Knobs, Profiles and Hooks
- Furniture Legs, Castors, Glides
- Legs, Table Bases and Fittings
- Locks, Magnets, Plugs
- Office Fittings
- Kitchen Fittings
- Kitchen Storage Systems
- Wardrobe Fittings
- Sliding Door Fittings
- Lights and Electrical Equipment
- Connection Fittings
- Bed Fittings and Lift Mechanisms



Furniture Edges

- ABS
- ABS with PMMA SENOSAN
- ABS AdvantEdge® - Hot Air
- ABS paintable
- 3D Acryls
- Melamine
- Veneers



Adhesives

- Hot Melt EVA
- Hot Melt PUR
- Construction Adhesives
- Contact Adhesives
- Dispersion and Flat Area Adhesives
- Double-sided Tapes



Cleaners

- Manual Cleaning Agents
- Machine Cleaning Agents
- Cleaning Agents for PUR HM
- Cleaning Agents Accessories
- Cleaning Agents for EVA HM